

How to connect Brother Printer model QL-720NW to Visitor Self Service


Last Modified on 10/06/2022 4:18 am EDT

Connecting Brother printer model QL-720NW to Visitor Self Service (VSS)

Procedure Steps


1. Connect the Brother printer to a network computer using the USB port.
2. Configure the Brother printer:
3.
 - a. Brother Printer Setting Tool
 - b. Communication Settings
 - c. Wired LAN:
 - IP Address:
 - - Boot Method: Static
 - IP Address: 10.112.7.49
 - Subnet Mask: 255.255.255.224
 - Gateway: 10.112.7.33
 - DNS Server:
 - - Primary DNS Server IP Address: 159.82.80.7
 - Secondary DNS Server IP Address: 159.82.216.178
 - Click [Apply].

Example:



3. Disconnect the printer from the computer's USB port and make sure the WiFi printer setting is OFF.
4. Confirm that the Brother printer is on the network.
 - Type the IP address into an Internet browser using a network-connected device.
 - Connect the iPad to the network via WiFi.
 - Open the VSS application on the iPad.
 - Tap on the printer URL (**Connections > Badge Printing > Printer URL**)
 - Enter `ipp://IPADDRESS:631/ipp/print`
 - For example: **`ipp://10.112.7.49:631/ipp/print`**

Example:



Applies To
Visitor Self Service

Additional Information